

THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

NEUROMODULATOR AFTERCARE

Mild redness, swelling, small bumps, or tenderness can occur after treatment and usually settle within hours to a few days.

UP

Avoid rubbing, massaging, or firm pressure over treated areas for the first several hours.

24H

Avoid strenuous exercise and significant heat exposure for about 24 hours unless your treating clinician says otherwise.



Results begin gradually. Many products start working within several days and are commonly assessed around 2 weeks.

Individual product onset and duration vary. Follow your treatment-specific instructions.



Injector Tanner

WATCH FOR

i

Temporary asymmetry can occur while the treatment is taking effect.



Keep your recommended follow-up so dose response and symmetry can be assessed.



Seek urgent medical evaluation for trouble breathing or swallowing, rapidly progressive generalized weakness, or a severe allergic reaction.

CALL

Contact THCB promptly for unexpected eyelid/brow changes, vision symptoms, or any concerning reaction.



THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

DERMAL FILLER

FACIAL AFTERCARE

Mild swelling, bruising, redness, tenderness, and temporary asymmetry from edema are common after facial filler.

NO

Do not aggressively massage or place prolonged pressure on treated areas unless specifically instructed.

48H

Limit strenuous exercise, alcohol, saunas, hot tubs, and excessive heat for 24-48 hours.

COLD

Use a cool compress gently as needed. Avoid direct ice on the skin.

Do not self-massage unless instructed. Individual aftercare may differ by product and treatment area.



Injector Tanner

URGENT WARNING SIGNS



Severe or escalating pain, persistent blanching, dusky/gray/mottled skin, or cool skin require immediate provider contact.



Any new visual disturbance after facial filler is an emergency: seek immediate emergency evaluation and contact your injector.



Avoid elective dental work or other facial procedures until your treating clinician says it is appropriate.

SPF

Use gentle skin care and sun protection while swelling and bruising resolve.



THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

LIP FILLER

AFTERCARE

Lip swelling can be substantial during the first 24-48 hours. Bruising, tenderness, firmness, and temporary unevenness can occur.

COLD

Use a gentle cool compress as needed; do not apply heavy pressure.

24H

Avoid strenuous exercise, excess heat, alcohol, and heavy manipulation for the first 24-48 hours.

NO

Avoid aggressive massage, kissing pressure, or manipulating lumps unless your injector specifically instructs you.



Injector Tanner

LIP-SPECIFIC NOTES



Allow swelling to settle before judging symmetry or volume. Final assessment is often more meaningful around 2 weeks.

HSV

If you have a history of cold sores, contact your clinician promptly if tingling, blistering, or an outbreak develops.

DEN

Discuss the timing of dental work and oral procedures with your treating clinician.



Severe pain, blanching, dusky color change, cool tissue, or rapidly worsening symptoms require urgent evaluation.



THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

CHIN + JAWLINE

FILLER AFTERCARE

Tenderness, swelling, bruising, and temporary firmness are expected after chin or jawline filler.

NO

Avoid pressing, sleeping directly on, or manipulating treated areas during the early healing period.

48H

Limit strenuous exercise, significant heat, alcohol, and sauna/hot-tub exposure for 24-48 hours.

COLD

Use a gentle cool compress if helpful; avoid firm compression unless prescribed.



Injector Tanner

PROTECT YOUR RESULT

ZZ

Sleep in a position that minimizes direct pressure on the treated areas during the first night or two.



Wait for swelling to resolve before judging contour. Keep your scheduled reassessment.

DEN

Ask your injector about timing for dental work or procedures near the lower face.



Escalating pain, blanching, dusky/mottled skin, cool skin, or neurologic/visual symptoms require urgent evaluation.



THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

CHEEK + MIDFACE

FILLER AFTERCARE

Cheek and midface swelling, bruising, tenderness, and temporary asymmetry can occur after filler treatment.

NO

Avoid facial massage, prolonged pressure, or manipulating the treated area unless instructed.

48H

Avoid strenuous exercise and significant heat exposure for 24-48 hours.

ZZ

Avoid sleeping directly on treated areas if possible during the first night.



Injector Tanner

HEALING + SAFETY



Early swelling can temporarily exaggerate fullness. Reassessment is best after the acute swelling subsides.

SPF

Use gentle skin care and daily broad-spectrum sunscreen.



Contact THCB immediately for severe pain, blanching, dusky color change, cool skin, or rapidly worsening swelling.



Any new visual symptoms require immediate emergency evaluation.



THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

TEAR TROUGH PERIORBITAL FILLER

Under-eye filler can cause swelling, bruising, tenderness, and temporary contour irregularity. Swelling may be more noticeable in the morning.

COLD

Use a gentle cool compress without direct pressure to the globe.

ZZ

Sleep with the head slightly elevated for the first night if comfortable.

NO

Avoid rubbing, massage, heavy glasses pressure, or manipulation unless instructed.



Injector Tanner

EYE-AREA SAFETY



Do not judge the final contour until swelling has settled and your injector has reassessed you.

SPF

Use gentle products around the eyes and protect the area from sun exposure.



Severe pain, marked skin color change, or rapidly worsening swelling requires immediate assessment.



Any visual disturbance, eye pain, double vision, or sudden vision loss after filler is an emergency.



THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

NON-SURGICAL RHINOPLASTY AFTERCARE

Nasal filler requires careful aftercare because the nose is a high-risk vascular treatment area.

NO

Do not massage, manipulate, or press firmly on the nose unless specifically instructed.

GL

Avoid heavy glasses or prolonged pressure across the treated area when possible.

48H

Limit strenuous exercise, heat, sauna/hot tub exposure, and alcohol for about 48 hours.



Injector Tanner

NASAL FILLER SAFETY

ZZ

Sleep on your back with your head slightly elevated for the first 1-2 nights if comfortable.



Keep your scheduled follow-up before requesting refinement.



Severe pain, blanching, dusky/mottled skin, cool tissue, or rapidly worsening symptoms require immediate contact.



Any visual change after nasal filler is an emergency requiring immediate medical evaluation.



THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

FULL FACIAL BALANCING AFTERCARE

After multi-area facial balancing, swelling and bruising can vary by region and may make early symmetry difficult to judge.

NO

Avoid unnecessary manipulation, massage, or pressure over treated areas unless directed.

48H

Avoid strenuous exercise, significant heat, alcohol, and sauna/hot-tub exposure for 24-48 hours.

ZZ

Minimize direct facial pressure while sleeping during the early healing period.



Injector Tanner

MULTI-AREA HEALING



Different areas settle at different rates. Keep your planned follow-up before making conclusions about final balance.

SPF

Use gentle skin care and daily broad-spectrum SPF.



Severe or escalating pain, blanching, dusky/mottled skin, cool tissue, or rapidly worsening symptoms require urgent evaluation.



Any new visual disturbance after facial filler is an emergency.



THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

PENILE ENHANCEMENT AFTERCARE

Swelling, bruising, tenderness, firmness, and temporary unevenness can occur after penile HA enhancement and may take days to weeks to settle.

CLN

Keep the area clean and dry and follow the hygiene instructions provided after treatment.

SUP

Wear supportive underwear and avoid unnecessary pressure, friction, or manipulation.

7D

Avoid strenuous lower-body activity, hot tubs, saunas, and pools during the early recovery period as instructed.

Follow the specific restrictions given at your procedure; timing varies with technique and treatment extent.



Injector Tanner

RECOVERY + SAFETY



Avoid sexual activity, masturbation, and vigorous manipulation until your treating clinician clears you; commonly about 1-2 weeks.



Attend scheduled follow-ups so swelling, contour, circulation, and healing can be assessed.

CALL

Contact THCB promptly if swelling worsens rather than improves or if you have concerns about healing.



Seek urgent evaluation for severe pain, rapidly increasing swelling, fever, skin color change, drainage, or difficulty urinating.



THE HOUSE CALL BEAUTY

Injector Tanner

CORE INJECTABLE

SKINVIVE

HA SKIN BOOSTER AFTERCARE

Small bumps, redness, swelling, tenderness, or bruising can occur at injection sites after intradermal HA treatment.

NO

Avoid rubbing or aggressively massaging the treated skin unless directed.

24H

Avoid strenuous exercise, alcohol, and significant heat for about 24 hours.

CLN

Keep the skin clean and use gentle products during the first day.



Injector Tanner

SKIN RECOVERY

SPF

Use broad-spectrum SPF and avoid excessive sun exposure.



Small papules or swelling typically settle as the product integrates; keep your follow-up if advised.

i

Delay strong exfoliants, retinoids, and elective facial procedures until the skin barrier has recovered.



Contact your provider for rapidly increasing redness, warmth, drainage, fever, severe pain, or unusual skin color change.



THE HOUSE CALL BEAUTY

Injector Tanner

BIOSTIMULATOR

SCULPTRA

AFTERCARE

*Swelling, tenderness, bruising, and temporary fullness are common.
Sculptra results develop gradually as collagen remodeling occurs.*

5x

Unless your injector advises otherwise, massage treated areas for 5 minutes, 5 times daily, for 5 days.

48H

Limit strenuous exercise and significant heat exposure for 24-48 hours.

COLD

A gentle cool compress may be used for comfort if appropriate.

Massage instructions can be individualized; follow the directions given at your appointment.



Injector Tanner

SCULPTRA FOLLOW-UP



Collagen stimulation is gradual; keep your planned treatment and reassessment schedule.

i

Temporary swelling immediately after treatment is not the final result.

CALL

Contact THCB if a persistent nodule, unusual firmness, or asymmetry develops.



Seek urgent evaluation for severe pain, blanching, rapidly worsening swelling, fever, or major skin color change.



THE HOUSE CALL BEAUTY

Injector Tanner

BIOSTIMULATOR

HYPERDILUTE Radiesse AFTERCARE

Hyperdilute Radiesse may cause swelling, bruising, tenderness, and temporary firmness. Improvement develops gradually as collagen and elastin remodeling progresses.

48H

Avoid strenuous exercise, significant heat, saunas, and hot tubs for 24-48 hours.

NO

Do not perform aggressive massage unless your injector has specifically instructed a massage protocol.

COLD

Use a gentle cool compress if needed for comfort.



Injector Tanner

WHAT TO EXPECT



Results evolve over weeks to months; keep your scheduled follow-up and photography.

i

Texture and firmness can feel different during early healing before tissue remodeling occurs.

CALL

Contact THCB for persistent nodules, focal firmness, prolonged inflammation, or new asymmetry.



Severe pain, blanching, major color change, fever, or rapidly worsening symptoms require urgent evaluation.



THE HOUSE CALL BEAUTY

Injector Tanner

BIOSTIMULATOR

RADIESSE

STRUCTURAL AFTERCARE

When Radiesse is used structurally, swelling, bruising, tenderness, and firmness may occur while the treated area settles.

NO

Avoid unnecessary manipulation or firm pressure unless your injector gives specific instructions.

48H

Limit strenuous exercise and major heat exposure for 24-48 hours.

COLD

Use a gentle cool compress if appropriate; avoid direct ice.



Injector Tanner

STRUCTURAL FILLER SAFETY



Allow early swelling to resolve before judging contour or symmetry.

SPF

Protect bruised or inflamed skin from sun exposure.



Severe pain, blanching, dusky/mottled skin, cool skin, or rapidly worsening swelling requires immediate contact.



Any visual symptoms after facial filler treatment are an emergency.



THE HOUSE CALL BEAUTY

Injector Tanner

BIOSTIMULATOR

NECK + CHEST

BIOSTIMULATOR AFTERCARE

After biostimulator treatment of the neck or décolletage, mild swelling, bruising, tenderness, and temporary firmness can occur.

48H

Avoid strenuous exercise, significant heat, sauna, and hot-tub exposure for 24-48 hours.

NO

Avoid aggressive massage unless your provider has prescribed a specific protocol.

CLN

Use gentle skin care and avoid irritating actives until the skin is comfortable.



Injector Tanner

HEALING

SPF

Use broad-spectrum SPF on exposed treated skin.



Collagen-based improvement develops gradually over weeks to months.

CALL

Contact THCB for persistent nodules, focal inflammation, drainage, or worsening asymmetry.



Severe pain, rapidly worsening swelling, fever, or significant color change requires urgent evaluation.



THE HOUSE CALL BEAUTY

Injector Tanner

OTHER PROCEDURE

KYBELLA

AFTERCARE

Significant swelling, firmness, bruising, numbness, and tenderness under the chin are common after deoxycholic-acid treatment.

Use a cool compress gently if recommended and tolerated.

COLD

Limit strenuous exercise, heat, and alcohol during the early swelling period.

48H

Do not aggressively massage the treated area unless instructed.

NO



Injector Tanner

WHEN TO CONTACT US

i

Swelling can be pronounced and may peak before improving.

CALL

Contact THCB for increasing redness, drainage, severe or persistent pain, or symptoms that are worsening rather than improving.



Seek prompt evaluation for trouble swallowing, skin ulceration, or a new asymmetric smile/facial weakness.



Keep follow-up appointments before deciding whether additional sessions are appropriate.



THE HOUSE CALL BEAUTY

Injector Tanner

OTHER PROCEDURE

MICRONEEDLING

AFTERCARE

Redness, warmth, tightness, dryness, and mild swelling are common for the first several days after microneedling.

CLN

Use a gentle cleanser and moisturizer; avoid picking or scrubbing the skin.

24H

Avoid makeup, heavy sweating, pools, saunas, and hot tubs for at least the initial recovery period as instructed.

SPF

Use broad-spectrum SPF and minimize direct sun exposure.



Injector Tanner

BARRIER RECOVERY

i

Hold retinoids, exfoliating acids, benzoyl peroxide, and other irritating actives until your skin barrier has recovered.



Flaking or dryness can occur. Do not force exfoliation.

CALL

Contact THCB for increasing redness, warmth, pus/drainage, fever, or worsening pain.



Seek urgent evaluation for a severe allergic reaction or rapidly progressive swelling.



THE HOUSE CALL BEAUTY

Injector Tanner

OTHER PROCEDURE

MICRONEEDLING + *REGENERATIVE AFTERCARE*

Redness, warmth, dryness, tightness, and mild swelling can follow microneedling with a regenerative adjunct.

CLN

Keep the skin clean and use only the post-procedure products approved by your treating clinician.

24H

Avoid makeup, sweating, pools, saunas, and unnecessary touching during the initial recovery window.

SPF

Use broad-spectrum SPF and strict sun protection once permitted.



Injector Tanner

RECOVERY NOTES

i

Avoid unapproved active ingredients or topical products until the barrier has recovered.



Transient dryness and flaking are common during healing.

CALL

Report worsening redness, warmth, drainage, fever, or unexpectedly severe pain.



Seek urgent care for severe allergy symptoms or rapidly progressive facial swelling.



THE HOUSE CALL BEAUTY

Injector Tanner

OTHER PROCEDURE

VITAMIN INJECTION AFTERCARE

Mild soreness, bruising, or a small lump at the injection site may occur after an intramuscular or subcutaneous vitamin injection.

CLN

Keep the injection site clean and avoid unnecessary rubbing.

COLD

A cool compress can be used for local soreness if appropriate.

24H

Resume normal activity as tolerated unless you received procedure-specific restrictions.



Injector Tanner

CALL IF

i

Local tenderness should improve rather than progressively worsen.

CALL

Contact your clinician for increasing redness, warmth, swelling, drainage, or persistent pain.



Seek emergency care for trouble breathing, facial/tongue swelling, fainting, or signs of a severe allergic reaction.

MED

Tell your healthcare team about any new or unexpected systemic symptoms.



THE HOUSE CALL BEAUTY

Injector Tanner

OTHER PROCEDURE

ACNE SCAR TREATMENT AFTERCARE

Acne-scar aftercare depends on the treatment performed. Redness, swelling, bruising, tenderness, or temporary texture changes may occur.

CLN

Use gentle skin care and follow the exact wound-care instructions given for your procedure.

SPF

Use strict sun protection to reduce post-inflammatory pigment risk.

NO

Do not pick, peel, or manipulate crusts, scabs, or healing skin.



Injector Tanner

PROCEDURE-SPECIFIC CARE

i

Follow separate instructions for subcision, filler, microneedling, chemical treatment, or energy-based procedures if used.



Healing time varies by modality; keep your scheduled reassessment.

CALL

Report increasing redness, warmth, drainage, fever, or pain that worsens after initially improving.



Seek urgent care for severe swelling, uncontrolled bleeding, or a severe allergic reaction.



THE HOUSE CALL BEAUTY

Injector Tanner

OTHER PROCEDURE

PN / PDRN

INJECTABLE AFTERCARE

Small papules, redness, swelling, tenderness, and bruising may occur after regenerative skin injections and typically settle as the skin recovers.

NO

Avoid rubbing, massaging, or applying heavy pressure unless instructed.

24H

Avoid strenuous exercise, alcohol, significant heat, and sauna/hot-tub exposure during the initial recovery period.

CLN

Use gentle skin care and keep the skin clean.



Injector Tanner

HEALING

SPF

Use broad-spectrum SPF and avoid excessive sun exposure.



Visible papules may take time to flatten; allow the skin to settle before judging results.

CALL

Report increasing redness, warmth, drainage, fever, or prolonged inflammatory nodules.



Seek urgent evaluation for severe pain, major color change, or rapidly worsening swelling.



THE HOUSE CALL BEAUTY

Injector Tanner

OTHER PROCEDURE

MESOTHERAPY

SKIN BOOSTER AFTERCARE

Pinpoint redness, small bumps, bruising, swelling, and tenderness can occur after superficial skin-booster or mesotherapy injections.

Keep the treated skin clean and use gentle products.

CLN

Avoid makeup, heavy exercise, alcohol, and significant heat during the first day or as instructed.

24H

Do not aggressively massage injection sites unless directed.

NO



Injector Tanner

SKIN RECOVERY

SPF

Use broad-spectrum SPF and avoid prolonged sun exposure.

i

Small papules or swelling may be visible temporarily.

CALL

Contact THCB for increasing redness, warmth, drainage, fever, or prolonged focal swelling.



Seek urgent evaluation for severe pain, skin color changes, or rapidly worsening symptoms.



THE HOUSE CALL BEAUTY

Injector Tanner

PRE-TREATMENT

BEFORE YOUR NEUROMODULATOR APPOINTMENT

A short preparation checklist helps your injector assess safety, dosing, and treatment goals.

MED

Bring an updated medication/supplement list and disclose neuromuscular disorders, prior reactions, pregnancy/breastfeeding, or current illness.

CLN

Arrive with clean skin when practical and tell us about active rashes, infection, or skin irritation near planned injection sites.



Tell us about recent or upcoming procedures and any previous neuromodulator treatment, including product and date if known.

Never stop prescribed medication, anticoagulation, or medically necessary therapy without guidance from the clinician who manages it.



Injector Tanner

BEFORE YOU ARRIVE

MED

Do not stop prescribed medications solely to reduce bruising unless the prescribing clinician advises it.

24H

Avoid elective alcohol exposure immediately before treatment if bruising is a concern.

PIC

Bring photos or examples of your movement pattern/goals if helpful, but expect treatment to be anatomy-driven.

i

Plan enough time for assessment, photography, informed consent, and individualized dosing.



THE HOUSE CALL BEAUTY

Injector Tanner

PRE-TREATMENT

BEFORE YOUR FILLER APPOINTMENT

Preparation is focused on medical history, infection risk, bruising risk, and choosing an appropriate product and treatment plan.

MED

Disclose medications, supplements, allergies, prior filler, autoimmune history, pregnancy/breastfeeding, and previous complications.

DEN

Tell us about recent or planned dental work, oral infection, facial procedures, vaccines, illness, or active skin infection.

HSV

Tell us if you have a history of cold sores, especially before lip/perioral treatment.

Never stop prescribed medication, anticoagulation, or medically necessary therapy without guidance from the clinician who manages it.



Injector Tanner

IMPORTANT

MED

Do not stop prescribed anticoagulants or other medically necessary medication without the managing clinician's guidance.

24H

Consider avoiding nonessential alcohol before treatment if bruising is a concern.

PIC

Arrive prepared for standardized photos and a full facial assessment.

i

Your injector may defer treatment if infection, inflammation, or another risk factor is present.



THE HOUSE CALL BEAUTY

Injector Tanner

PRE-TREATMENT

BEFORE YOUR SCULPTRA APPOINTMENT

Sculptra treatment is a staged collagen-building process rather than an immediate volumizing endpoint.

MED

Disclose medications, supplements, autoimmune/inflammatory conditions, prior injectable complications, pregnancy/breastfeeding, or active illness.

PIC

Expect baseline photography and discussion of treatment series, timeline, and realistic collagen-building goals.



Plan for possible swelling or bruising after treatment and for follow-up sessions if recommended.

Never stop prescribed medication, anticoagulation, or medically necessary therapy without guidance from the clinician who manages it.



Injector Tanner

PREPARE FOR THE SERIES

MED

Do not stop prescribed medications without direction from the clinician who manages them.

CLN

Avoid treatment over active infection, inflamed skin, or open lesions.

i

Review the post-treatment massage plan before leaving your appointment.



Results develop gradually over weeks to months; immediate post-treatment fullness is not the final outcome.



THE HOUSE CALL BEAUTY

Injector Tanner

PRE-TREATMENT

BEFORE YOUR Radiesse APPOINTMENT

Radiesse may be used structurally or in a diluted/hyperdilute biostimulatory protocol. Preparation depends on the intended technique.

MED

Disclose medications, supplements, allergies, autoimmune history, prior filler/biostimulator, pregnancy/breastfeeding, or active illness.

PIC

Expect standardized photography and discussion of structural versus biostimulatory goals.



Plan around possible swelling or bruising and any important events.

Never stop prescribed medication, anticoagulation, or medically necessary therapy without guidance from the clinician who manages it.



Injector Tanner

IMPORTANT

MED

Do not stop prescribed medication solely to reduce bruising without medical guidance.

CLN

Treatment may be deferred for active infection, inflammation, or compromised skin.

i

Ask whether massage is part of your specific protocol; it is not universal for every Radiesse technique.



Understand the expected timeline: immediate contour and gradual tissue remodeling are not the same endpoint.



THE HOUSE CALL BEAUTY

Injector Tanner

PRE-TREATMENT

BEFORE YOUR NON-SURGICAL RHINOPLASTY

Nasal filler is an advanced, high-risk vascular procedure. Careful assessment and conservative planning are essential.

MED

Disclose all prior nasal filler, nasal surgery, trauma, threads, implants, vascular issues, medications, and previous complications.

PIC

Expect detailed nasal and facial photography plus profile analysis.

GL

Bring the glasses/sunglasses you routinely wear if they place pressure across the planned treatment area.

Never stop prescribed medication, anticoagulation, or medically necessary therapy without guidance from the clinician who manages it.



Injector Tanner

BEFORE TREATMENT

CLN

Treatment should not proceed through active infection, inflamed skin, or open lesions.

MED

Do not stop prescribed anticoagulants or other medication without the managing clinician's approval.

i

Understand the vascular-occlusion and vision-risk discussion before consent.



Plan for follow-up and avoid scheduling major events immediately after treatment if swelling or bruising would be problematic.



THE HOUSE CALL BEAUTY

Injector Tanner

PRE-TREATMENT

BEFORE YOUR PENILE ENHANCEMENT

Preparation focuses on anatomy, goals, infection risk, medication history, sexual-health history, and realistic expectations.

MED

Disclose medications, anticoagulants, allergies, prior genital procedures, implants, circumcision status, scarring, infections, and relevant medical history.

CLN

Follow the hygiene and grooming instructions provided by your treating clinician. Do not treat through active skin or genital infection.



Plan for the required period of abstinence, activity restriction, and scheduled follow-up after treatment.

Never stop prescribed medication, anticoagulation, or medically necessary therapy without guidance from the clinician who manages it.



Injector Tanner

BEFORE YOU ARRIVE

MED

Do not stop prescribed medication without approval from the clinician who manages it.

i

Discuss product, expected volume, staged treatment, contour goals, and the possibility of swelling or temporary unevenness.

PIC

Clinical documentation may include standardized medical photographs with your consent and privacy protections.



Tell your injector about urinary symptoms, active STI concerns, fever, sores, or new genital skin changes before treatment.



THE HOUSE CALL BEAUTY

Injector Tanner

PRE-TREATMENT

BEFORE MICRONEEDLING

Microneedling works by controlled skin injury, so the skin barrier should be healthy and free of active infection before treatment.

MED

Disclose medications, isotretinoin history, anticoagulants, tendency to keloid, active acne/infection, pregnancy, and history of cold sores.

CLN

Arrive with clean skin and avoid treating sunburned, irritated, or actively infected skin.

SPF

Avoid excessive sun exposure or tanning before treatment.

Never stop prescribed medication, anticoagulation, or medically necessary therapy without guidance from the clinician who manages it.



Injector Tanner

SKIN PREP

i

Your clinician may ask you to hold irritating retinoids/acids for a short period before treatment depending on your regimen.

MED

Do not stop prescribed medications without medical guidance.



Plan for several days of redness, dryness, or flaking.

HSV

If you have recurrent HSV/cold sores, discuss whether antiviral prophylaxis is appropriate before treatment.



THE HOUSE CALL BEAUTY

Injector Tanner

PRE-TREATMENT

BEFORE YOUR FULL-FACE BALANCING

Full-face balancing begins with diagnosis and prioritization, not with a preset number of syringes.

PIC

Expect standardized photos, facial-proportion analysis, animation assessment, and discussion of your highest-priority concerns.

MED

Disclose all prior filler/biostimulator locations, products if known, complications, medications, allergies, pregnancy/breastfeeding, and medical history.



Plan around possible swelling or bruising, especially when multiple areas are treated.

Never stop prescribed medication, anticoagulation, or medically necessary therapy without guidance from the clinician who manages it.



Injector Tanner

PLANNING PRINCIPLES

i

Not every area identified during assessment needs to be treated in one session.

MED

Do not stop medically necessary medication without the managing clinician's guidance.

DEN

Discuss recent/upcoming dental work, infection, or facial procedures.



Staged treatment may produce a safer, more controlled, and more natural progression toward your goals.



SAFETY

NORMAL vs NOT NORMAL AFTER FILLER

Some post-filler changes are expected. Others require immediate evaluation.



Common: mild-to-moderate swelling, bruising, tenderness, temporary firmness, and asymmetry from edema.



Common: symptoms that stabilize and gradually improve over the next several days.



Concerning: severe or escalating pain, persistent blanching, dusky/gray/mottled skin, cool skin, or rapidly worsening swelling.



Injector Tanner

DO NOT WAIT ON



Any new visual disturbance, eye pain, double vision, or sudden vision loss after facial filler.



New neurologic symptoms, severe headache with vision changes, or rapidly progressive tissue color change.

CALL

Contact THCB immediately for concerning vascular or infectious symptoms.



When symptoms are severe or vision/neurologic function is affected, seek emergency medical care immediately.



SAFETY

FILLER

EMERGENCY SIGNS

Vascular occlusion and other serious filler complications are uncommon but time-sensitive.



Severe or disproportionate pain, especially if worsening rather than settling.

SKIN

Persistent blanching, dusky/gray discoloration, mottling, delayed capillary refill, or cool skin.



Any visual change, eye pain, ptosis with visual symptoms, double vision, or sudden vision loss.



Injector Tanner

ACTION

CALL

Contact the treating injector immediately if vascular compromise is suspected.



Visual or neurologic symptoms require immediate emergency medical evaluation; do not wait for a routine follow-up.

i

Do not aggressively massage or apply heat unless specifically directed by the treating clinician.



Early recognition and treatment are critical; document when symptoms began if possible.



THE HOUSE CALL BEAUTY

— *Injector Tanner* —

SAFETY

NEUROMODULATOR

WARNING SIGNS

Most reactions are mild and temporary, but certain symptoms need prompt assessment.

i

Expected: small injection-site bumps, mild tenderness, bruising, headache, or temporary asymmetry while effect develops.

CALL

Contact THCB for unexpected eyelid or brow position changes, significant dry eye, prolonged asymmetry, or concerning weakness.



Seek urgent evaluation for trouble swallowing, difficulty breathing, or rapidly progressive generalized weakness.



Injector Tanner

EMERGENCY



Call emergency services for breathing difficulty, severe allergic reaction, fainting with ongoing symptoms, or major neurologic change.



Keep the product name and treatment date available if another clinician evaluates you.

MED

Tell clinicians about recent botulinum toxin treatment when relevant to your care.

i

Do not self-treat severe symptoms with additional medication without medical advice.



SAFETY

INFECTION

WARNING SIGNS

Post-procedure redness and tenderness should trend toward improvement. Infection can present with worsening rather than settling symptoms.



Increasing redness, warmth, swelling, or pain after an initial period of improvement.

CALL

Pus/drainage, foul odor, expanding tenderness, or a new fluctuant area.

MED

Fever, chills, or feeling systemically unwell with worsening local symptoms.



Injector Tanner

WHAT TO DO

CALL

Contact your treating clinician promptly for suspected infection.

i

Do not squeeze, lance, or attempt to drain a suspected infection yourself.

MED

Do not start leftover antibiotics or another person's medication.



Seek urgent/emergency care for rapidly spreading redness, severe systemic illness, confusion, fainting, or breathing difficulty.



THE HOUSE CALL BEAUTY

Injector Tanner

SAFETY

CALL THCB OR SEEK EMERGENCY CARE?

Use the severity and type of symptom to decide how urgently to escalate.

CALL

Contact THCB promptly: unexpected swelling, persistent lumps, increasing redness/warmth, worsening pain, asymmetry, or concerns about healing.



Routine message/follow-up: expected bruising, mild swelling, normal questions about timing, or non-urgent refinement concerns.



Emergency evaluation now: breathing/swallowing difficulty, severe allergic reaction, sudden vision symptoms, major neurologic change, or severe rapidly progressive symptoms.



Injector Tanner

WHEN IN DOUBT



Do not wait for a routine appointment when symptoms involve vision, breathing, swallowing, rapidly worsening tissue color, or major neurologic change.

CALL

Contact THCB while arranging urgent care when appropriate.

i

Provide the procedure, product if known, treatment date/time, and when symptoms started.

CAM

Photographs can help document evolution, but do not delay emergency care to take them.



SAFETY

AFTERCARE

MEDICATION GUIDANCE

Medication advice after aesthetic treatment must account for your medical history, prescriptions, allergies, and the exact procedure performed.

MED

Do not stop prescribed anticoagulants, antiplatelet drugs, or other medically necessary medication unless the managing clinician advises it.

MED

Do not take another person's prescription medication or leftover antibiotics.

i

For discomfort, use only medications that are safe for you and consistent with your treating clinician's instructions.



Injector Tanner

IMPORTANT



Seek medical advice before taking medication if you have kidney, liver, bleeding, allergy, pregnancy, or drug-interaction concerns.

CALL

Contact your clinician if pain is severe, escalating, or out of proportion to the expected recovery.

MED

Tell your healthcare team about all supplements and over-the-counter products because they can affect bruising or interactions.

i

Individualized medical instructions always override a generic aftercare card.



YOUR

2-WEEK FOLLOW-UP

A 2-week review is commonly used to evaluate settled swelling, symmetry, movement, and treatment response.

PIC

Bring standardized before/after photos if requested or allow repeat clinical photography.

i

Tell us what changed, what you like, what feels different, and any symptoms you experienced during healing.



Do not assume refinement is necessary until the treatment has had enough time to settle.



Injector Tanner

AT THE VISIT

We reassess anatomy, symmetry, function, and whether your original goals were met.

i

Additional treatment is based on clinical indication, not simply on product remaining.



Some treatments require longer than 2 weeks for meaningful final assessment.

CALL

If you develop a concerning symptom before the appointment, contact THCB sooner rather than waiting.



NEUROMODULATOR

RESULTS TIMELINE

Botulinum toxin effect develops gradually and varies by product, dose, muscle, and individual response.



DAYS 2-7: early softening of targeted movement may begin.



AROUND 2 WEEKS: commonly used time point for formal assessment and symmetry review.



MONTHS 3-4+: effect gradually wears off; duration varies by product and patient.



Injector Tanner

REMEMBER

i

One side may appear to respond sooner than the other during the first several days.



Avoid requesting premature touch-up before the product has reached an appropriate assessment point.

PIC

Consistent photos and expressions help compare response objectively.

CALL

Report any concerning weakness, swallowing/breathing difficulty, or unexpected eye symptoms promptly.



Injector Tanner

FOLLOW-UP

FILLER

HEALING TIMELINE

Filler can look different from day to day while edema, bruising, tissue tension, and hydration normalize.



DAYS 0-3: swelling and bruising may increase before improving.



DAYS 4-7: acute swelling generally trends down, although firmness and tenderness can persist.



AROUND 2 WEEKS: more meaningful assessment of symmetry and contour for many treatments.



Injector Tanner

FINAL ASSESSMENT



WEEKS 3-4+: some areas/products continue integrating and may need longer before final judgment.

i

Do not judge the result solely from the first 24-72 hours.



Severe pain, persistent blanching, dusky skin, cool tissue, or visual symptoms are not normal healing.



Keep your scheduled follow-up if refinement is being considered.



THE HOUSE CALL BEAUTY

Injector Tanner

FOLLOW-UP

SCULPTRA

RESULTS TIMELINE

Sculptra is designed for gradual collagen stimulation rather than an immediate final volumizing effect.



FIRST DAYS: swelling can temporarily mimic volume and then subside.



WEEKS 4-8: collagen-related changes become progressively more apparent.



MONTHS 2-6: remodeling continues; additional sessions may be part of the original treatment plan.



Injector Tanner

LONG-TERM



Keep series and follow-up appointments so progress can be assessed with consistent photos.

i

Immediate post-injection fullness is not the final result.

5x

Follow the massage protocol you were specifically given.

CALL

Report persistent nodules or unusual inflammation for assessment.



THE HOUSE CALL BEAUTY

Injector Tanner

FOLLOW-UP

RADIESSE

RESULTS TIMELINE

Radiesse can provide immediate structural effect and/or gradual biostimulatory improvement depending on technique and dilution.



FIRST DAYS: swelling and firmness may temporarily exaggerate contour.



WEEKS 4-12: tissue remodeling becomes more apparent in biostimulatory protocols.



MONTHS 3-6+: collagen-related improvement may continue to evolve.



Injector Tanner

ASSESSMENT



Keep follow-ups so immediate contour and gradual remodeling can be distinguished.

i

Hyperdilute and structural Radiesse should not be judged by the same timeline.

PIC

Standardized photos help track subtle tissue-quality changes.

CALL

Report persistent nodules, unusual inflammation, or concerning pain/color change promptly.



PENILE HEALING TIMELINE

Penile HA enhancement has an early swelling phase before contour and texture can be accurately assessed.



DAYS 0-3: swelling, bruising, firmness, and temporary unevenness can be most noticeable.



WEEK 1: swelling should begin trending down; activity restrictions remain important.



WEEK 2: reassessment helps evaluate contour, healing, and whether additional manipulation or treatment is appropriate.



Injector Tanner

LONGER TERM



WEEKS 3-6: tissue integration and contour continue to settle.



Attend all planned follow-ups, especially after higher-volume or staged treatment.



Severe pain, worsening swelling, fever, color change, drainage, or urinary difficulty require prompt evaluation.

i

Do not aggressively manipulate the result unless specifically instructed.



THE HOUSE CALL BEAUTY

Injector Tanner

FOLLOW-UP

NON-SURGICAL RHINOPLASTY TIMELINE

Nasal filler should be evaluated conservatively after early swelling has settled.



DAYS 0-3: mild swelling and tenderness can occur; protect the nose from pressure.



AROUND 2 WEEKS: a more meaningful contour assessment can be performed.



WEEKS 3-4+: subtle integration may continue, depending on product and treatment extent.



Injector Tanner

SAFETY FIRST



Refinement should be based on anatomy and clinical need, not on an automatic plan to add more product.

GL

Continue to avoid unnecessary prolonged pressure from heavy eyewear if instructed.



Severe pain or major skin color change is not normal healing.



Any visual symptom after nasal filler is an emergency.



THE HOUSE CALL BEAUTY

Injector Tanner

FOLLOW-UP

YOUR RESULT IS STILL HEALING

Early swelling, bruising, tissue tension, and inflammatory changes can temporarily distort the appearance of an aesthetic result.



Give the treatment the recommended settling period before judging symmetry or deciding on refinement.

PIC

Use standardized photos rather than repeated close-up checking under different lighting or angles.

i

Different treatment areas and products settle at different rates.



THE HOUSE CALL BEAUTY

Injector Tanner

CONTACT US SOONER IF



Pain is severe or escalating, skin color changes, swelling is rapidly worsening, or fever/drainage develops.



Vision symptoms occur after facial filler.

CALL

You are unsure whether what you are seeing fits the expected recovery.

When healing is uncomplicated, the planned follow-up is usually the best time for objective reassessment.



UNDERSTANDING NEUROMODULATORS

Botox, Dysport, Xeomin, Jeuveau, Letybo, and Daxxify are botulinum toxin type A products used to reduce targeted muscle activity.

i

They are not directly interchangeable unit-for-unit across all brands.



Onset and duration vary by product, dose, muscle group, and individual response.

Treatment planning should be based on anatomy, muscle strength, movement pattern, and aesthetic goals.



Injector Tanner

PRODUCT SELECTION

i

Different formulations and diffusion characteristics can influence product choice, but technique and dose remain critical.



A follow-up assessment helps determine whether the planned response was achieved.

MED

Your medical history and prior treatment response matter when choosing a product.

The goal is controlled reduction of targeted movement while preserving appropriate function and expression.



UNDERSTANDING HYALURONIC ACID FILLERS

HA fillers are injectable gels with different rheologic properties, cohesivity, firmness, and tissue behavior.

i

Product selection should match the anatomic plane, tissue characteristics, movement, and treatment objective.

A product suited for structural support may not be the best choice for a highly mobile or superficial area.



Some HA fillers can be modified or dissolved with hyaluronidase when clinically appropriate.



Injector Tanner

WHAT MATTERS MOST

i

Anatomy, injection plane, technique, volume, and patient selection are as important as brand name.

PIC

Before-and-after assessment should use consistent lighting, angle, and expression.



All facial filler carries vascular risk; informed consent and emergency preparedness matter.



Natural-looking results often come from staged correction rather than treating every concern at once.



UNDERSTANDING SCULPTRA

Sculptra is poly-L-lactic acid (PLLA), a biostimulatory injectable intended to support gradual collagen remodeling.



The final effect develops over time rather than immediately after injection.

i

Treatment is often planned as a series based on age, tissue quality, anatomy, and goals.

5x

Post-treatment massage is commonly prescribed; follow the exact protocol your injector gives you.



Injector Tanner

EXPECTATIONS

PIC

Progress is best assessed with standardized photos over weeks to months.

i

Immediate swelling is not the final collagen result.



Additional sessions are not automatically required; they should be based on clinical assessment.

CALL

Persistent nodules or unusual inflammation should be evaluated.



UNDERSTANDING Radiesse

Radiesse is calcium hydroxylapatite (CaHA). It can be used for structural support or diluted/hyperdilute for tissue-quality improvement.

i

Structural and biostimulatory protocols use different dilution, placement, and goals.



Immediate contour may be visible with structural use, while collagen remodeling evolves gradually.

Product placement and treatment area selection are critical because CaHA is not an HA filler.



Injector Tanner

WHY TECHNIQUE MATTERS

i

Not every area that can be treated with HA is appropriate for CaHA.

5x

Massage protocols vary by technique; follow only the instructions given for your treatment.

PIC

Standardized follow-up helps separate swelling from true tissue change.



As with injectable treatment, concerning pain, color change, or inflammatory symptoms require evaluation.



WHAT IS FACIAL BALANCING?

Facial balancing evaluates relationships among multiple facial regions rather than treating one feature in isolation.

PIC

Assessment considers profile, frontal proportions, projection, width, facial thirds, asymmetry, and animation.

i

The plan may involve filler, neuromodulator, biostimulator, skin treatment, or no treatment in a particular area.

The objective is proportional improvement while respecting anatomy and identity.



Injector Tanner

A STAGED APPROACH



Treatments may be divided across visits to control swelling and evaluate response.

i

More product is not automatically better; each syringe should have a defined indication.

PIC

Standardized photography is essential for objective planning and follow-up.

A balanced result is based on global relationships, not one isolated measurement.



WHAT IS NON-SURGICAL RHINOPLASTY?

Non-surgical rhinoplasty uses filler strategically to alter contour, camouflage irregularities, or change apparent proportions without surgery.

i

It adds volume; it does not remove bone/cartilage or physically reduce nasal size.

It may improve selected profile or contour concerns but is not appropriate for every nose.



The nose is a high-risk vascular area, so conservative technique and emergency preparedness are essential.



Injector Tanner

LIMITATIONS

i

Functional breathing problems and major structural changes may require surgical evaluation.



Refinement should be conservative and based on reassessment after swelling resolves.

PIC

Profile and frontal photography help evaluate how nasal contour relates to the rest of the face.



Vision complications are rare but serious; patients should know the warning signs before treatment.



WHAT IS SKINVIVE?

SkinVive is an injectable hyaluronic-acid treatment designed to improve skin smoothness and hydration-related appearance rather than create major structural volume.

i

It is placed more superficially than many structural fillers.



Changes are assessed after initial injection-site swelling and papules have settled.

It can complement - not replace - treatment for volume loss, laxity, pigmentation, or dynamic wrinkles.



Injector Tanner

GOOD TO KNOW

i

Treatment planning depends on skin quality, facial anatomy, and your goals.

SPF

Sun protection and a consistent skin-care routine still matter.



Maintenance timing varies by response and treatment plan.



As with any injectable, unusual pain, color change, or inflammatory symptoms require assessment.



WHAT TO EXPECT

PENILE HA ENHANCEMENT

Penile HA enhancement is a nonsurgical injectable procedure used primarily to increase girth and modify contour.

i

Results depend on anatomy, baseline dimensions, product, volume, technique, and whether treatment is staged.



Swelling can temporarily exaggerate size and asymmetry during early healing.

A staged approach may be recommended when substantial volume is planned.



Injector Tanner

LIMITATIONS + FOLLOW-UP

i

The procedure does not replicate surgical lengthening and should not be represented as a guaranteed size outcome.



Follow-up is important for contour assessment and safe decision-making about additional volume.

Sexual activity restrictions are temporary but important during early healing.



Severe pain, major color change, fever, rapidly worsening swelling, or urinary difficulty requires prompt evaluation.



WHY MULTIPLE SYRINGES MAY BE RECOMMENDED

Facial balancing sometimes requires more than one syringe because structural correction is distributed across three-dimensional anatomy.

i

A syringe is a unit of product volume, not a treatment outcome by itself.

Different regions may require different rheology, depth, and amounts of product.



Staging treatment can be preferable when swelling would make same-day overcorrection difficult to judge.



Injector Tanner

THE GOAL

i

Each syringe should have a defined anatomical purpose.

PIC

Treatment plans should be based on assessment and photos, not on pressure to use a preset package.

More volume is not always better; appropriateness depends on tissue capacity and proportions.



Refinement decisions are best made after the initial result has settled.



WHY WE WAIT FOR SWELLING TO SETTLE

Early post-treatment appearance is influenced by edema, bruising, tissue inflammation, injection fluid, and temporary firmness.



The first 24-72 hours can look fuller, less symmetric, or more irregular than the settled result.



Many injectable results are more meaningfully assessed around 2 weeks, depending on product and area.



Some biostimulatory and tissue-remodeling treatments require weeks to months for final assessment.



Injector Tanner

WHY THIS MATTERS

i

Premature correction can lead to unnecessary treatment or overcorrection.

PIC

Standardized follow-up photos provide a more objective comparison than daily close-up inspection.



Your clinician may intentionally delay refinement until the anatomy has stabilized.



Waiting applies only to expected healing - red-flag symptoms should be evaluated immediately.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

THANK YOU FOR TRUSTING THCB

*Your treatment plan does not end when you leave the appointment.
Recovery, follow-up, and communication are part of the clinical
process.*

Thank you for choosing The House Call Beauty and Injector Tanner.



Keep your recommended follow-up so your result can be assessed properly.

CALL

Contact THCB if you have questions about healing or anything feels outside the expected recovery.



THE HOUSE CALL BEAUTY

Injector Tanner

STAY CONNECTED

QR

Scan the QR code to access the THCB app.

i

View aftercare, appointments, rewards, events, and treatment information in one place.

If you choose to share feedback, honest reviews help future patients understand your experience.

We appreciate the trust involved in every treatment relationship.



FOLLOW-UP IS PART OF TREATMENT

Aesthetic medicine is a process: assessment, treatment, healing, reassessment, and only then refinement if clinically appropriate.



Keep your follow-up even when everything appears to be healing normally.

PIC

Consistent photos help us evaluate changes objectively.

i

Bring questions and report any symptoms or concerns from the recovery period.



Injector Tanner

WHY IT MATTERS



Follow-up allows evaluation of symmetry, function, tissue response, and whether your goals were met.



Some procedures need weeks or months before a true endpoint can be assessed.



Do not wait for a scheduled visit if you develop red-flag symptoms.



QR

Use the THCB app to review aftercare and appointment information.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

CONTACT YOUR PROVIDER

Questions during recovery are expected. The most useful message includes clear clinical details.

CAM

Include well-lit photos when appropriate, using the same angle and lighting if possible.



Tell us the procedure date, treatment area, and when the symptom started.

i

Describe whether the symptom is stable, improving, or worsening and what makes it better or worse.



Injector Tanner

URGENT?



Severe pain, major skin color change, rapidly worsening swelling, breathing/swallowing difficulty, or vision symptoms require urgent escalation.



Do not rely on routine messaging for a medical emergency.

QR

Use the contact pathway in the THCB app for non-emergency follow-up.

CALL

If you are unsure how urgent something is, contact THCB promptly for direction.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

DOWNLOAD

THE THCB APP

Keep your treatment experience, aftercare, rewards, and communication in one place.

QR

Scan the QR code to open thehousecallbeauty.app.



Manage appointments and follow-up reminders.

i

Access procedure information and aftercare guidance.



THE HOUSE CALL BEAUTY

Injector Tanner

INSIDE THE APP

\$

View promotions, rewards, memberships, and referral benefits.

MSG

Message THCB about non-emergency treatment questions.

EVT

See upcoming events and injectable-party opportunities.

Enable notifications if you want appointment, aftercare, or promotional reminders.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

SCAN FOR YOUR *AFTERCARE*

Your written aftercare should be easy to find after you leave the appointment.

QR

Scan the QR code to open the THCB app.

i

Choose your treatment to review the matching aftercare instructions.



Save the page or enable notifications so you can reference it during recovery.



Injector Tanner

IMPORTANT

Your individualized instructions take priority over general guidance.



Red-flag symptoms should be evaluated promptly; do not wait for a routine follow-up.

MSG

Use in-app messaging for non-emergency questions.



For medical emergencies, seek emergency care immediately.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

SHARE YOUR EXPERIENCE

If you would like to review your experience, honest feedback helps other patients make informed decisions.

Share what was helpful, what you appreciated, and what future patients should know.

Reviews are always voluntary and should reflect your genuine experience.

QR

Scan the QR code to access available review links.



THE HOUSE CALL BEAUTY

Injector Tanner

THANK YOU

Your feedback helps us improve the patient experience.

i

No reward is conditioned on leaving a positive review.

PRV

Do not include private medical details you do not want published publicly.

MSG

Clinical concerns are best sent directly to THCB so they can be addressed appropriately.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

REFER A FRIEND

Share THCB with someone who has been looking for a thoughtful, individualized aesthetic consultation.

\$

Give \$50: a qualifying new patient receives \$50 toward an eligible first treatment.

Get \$50: after the qualifying referred patient completes and pays for an eligible treatment, you receive \$50 in THCB Rewards.

QR

Use your referral link or code in the THCB app so the referral is attributed correctly.



Injector Tanner

MILESTONE REWARDS

\$

3 qualifying completed referrals: receive an additional \$150 reward, subject to program rules.

\$

5 qualifying completed referrals: receive \$500 in THCB Rewards, subject to program rules.

i

Rewards have no cash value; exclusions, expiration, eligibility, and stacking rules may apply.

Full referral-program terms control if they differ from this summary.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

MEMBERSHIP + BEAUTY BANK

THCB membership and Beauty Bank options can help patients plan treatments over time rather than making every visit a one-time purchase.

\$

Build treatment credit according to the program terms.



Plan regular maintenance and follow-up with greater predictability.

\$

Access member benefits or promotional opportunities when offered.



Injector Tanner

BEFORE ENROLLING

i

Review billing cadence, cancellation terms, expiration rules, and treatment exclusions.

Clinical eligibility still determines whether a treatment is appropriate.

\$

Stored value and promotional credit may be subject to different rules.

QR

Use the THCB app to review current membership and Beauty Bank options.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

THCB

REWARDS PROGRAM

Earn and use THCB Rewards according to the current program rules.

\$

Rewards may be earned through qualifying referrals, promotions, loyalty activity, or other eligible actions.

\$

Rewards are promotional value, not cash, unless program terms explicitly state otherwise.



Expiration dates and redemption windows may apply.



THE HOUSE CALL BEAUTY

Injector Tanner

USE YOUR REWARDS

Redeem only on eligible services or products under current program terms.

i

Rewards may not be stackable with every promotion or package.

QR

Check your current balance and terms in the THCB app.

MSG

Contact THCB if your account does not reflect an eligible completed referral or reward.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

\$500 MONTHLY PROMOTIONAL DRAWING

THCB periodically offers promotional drawings and patient-app engagement campaigns.

\$

Prize value: up to \$500 in promotional THCB value when specified in the official rules.

QR

Use the THCB app to view the current entry method and official rules.



Entry periods, eligibility, geographic restrictions, and drawing dates may change by promotion.



THE HOUSE CALL BEAUTY

Injector Tanner

OFFICIAL RULES APPLY

i

No purchase necessary where required by law; alternative entry methods may apply.

Prize value is promotional and may have treatment/service restrictions.



Void where prohibited. Eligibility and age requirements apply.

QR

The current official rules control if they differ from promotional summaries.



THE HOUSE CALL BEAUTY

Injector Tanner

PATIENT EXPERIENCE

UPCOMING EVENTS + INJECTABLE PARTIES

THCB events can include educational sessions, injectable parties, model opportunities, and limited promotional appointments.

View upcoming dates and locations in the THCB app.

EVT

RSVP early when capacity is limited.



Treatment at an event still requires individual medical screening, informed consent, and clinical eligibility.

i



THE HOUSE CALL BEAUTY

Injector Tanner

HOSTING?

Ask about private or corporate event options and host benefits.

A promotion never overrides clinical judgment or appropriate dosing.

Scan to view current event details, locations, and terms.

QR

Contact THCB through the app for event questions or private-event planning.

MSG



THE HOUSE CALL BEAUTY

Injector Tanner

REFERRAL

REFER + BE REWARDED

Give \$50. Get \$50. Share your personal referral link or code with a new patient.

\$

YOUR FRIEND: \$50 toward an eligible first treatment after meeting program requirements.

YOU: \$50 in THCB Rewards after the referred patient completes and pays for a qualifying treatment.

QR

Use your unique referral code or app link so the referral is tracked correctly.



THE HOUSE CALL BEAUTY

Injector Tanner

MORE REFERRALS. MORE REWARDS.

\$

3 qualifying completed referrals: +\$150 milestone reward, subject to program rules.

\$

5 qualifying completed referrals: \$500 in THCB Rewards, subject to program rules.

i

New-patient, eligibility, service, timing, expiration, transfer, and stacking restrictions may apply.

Rewards have no cash value. Current official program terms control.



THE HOUSE CALL BEAUTY

Injector Tanner

REVIEW

LOVE YOUR EXPERIENCE?

If you want to share feedback, an honest review can help another patient understand what the THCB experience is like.

Write about your consultation, communication, treatment experience, and follow-up.

PRV

Share only personal/medical details you are comfortable making public.

QR

Scan to access current review options.



THE HOUSE CALL BEAUTY

Injector Tanner

YOUR REVIEW IS YOURS

Reviews are voluntary.

i

THCB does not require a positive review and does not condition a reward on favorable sentiment.

MSG

If you have a clinical concern, contact THCB directly so it can be addressed promptly.

Thank you for taking the time to provide feedback.



THE HOUSE CALL BEAUTY

Injector Tanner

APP

THE HOUSE CALL BEAUTY IN YOUR POCKET

Use the THCB app to keep your treatment experience organized before, during, and after your appointment.



Book, manage, and review appointments.

i

Access aftercare and treatment information.

MSG

Message THCB about non-emergency questions and follow-up.



THE HOUSE CALL BEAUTY

Injector Tanner

MORE IN THE APP

\$

View rewards, referrals, promotions, memberships, and Beauty Bank information.

EVT

See upcoming events and RSVP opportunities.

Review treatment plans, proposals, and reminders when available.

QR

Scan now: thehousecallbeauty.app



POST-TREATMENT SAFETY CARD

Keep this card accessible after injectable treatment. Most recovery symptoms are mild; red-flag symptoms require rapid escalation.



FILLER: severe escalating pain, blanching, dusky/mottled skin, cool skin, or rapidly worsening swelling.



FACIAL FILLER: any new vision change, eye pain, double vision, or sudden vision loss.



ANY PROCEDURE: breathing/swallowing difficulty, severe allergic reaction, major neurologic change, or severe systemic illness.

Injector Tanner

WHAT TO DO

CALL

Contact THCB immediately using your provided urgent contact pathway.



For vision, breathing, swallowing, or major neurologic symptoms, seek emergency medical care immediately.



Have your treatment date, treatment area, and product information available if known.

i

Do not delay emergency care while waiting for a routine message response.